

Malli	Tuotenumero	Suositus		
MS 150 C-E	11462000001	569		
MS 170	11302000296	229		
MS 180	11302000359	279		
MS 181	11392000338	339		
MS 181 C-BE	11392000339	379		
MS 193 C-E	11372000141	469		
MS 201 C-EM - 30 CM / 12 "	11452000187	859		
MS 201 C-EM - 35 CM / 14 "	11452000188	859		
MS 201 C-M - 30 CM / 12 "	11452000177	799		
MS 201 C-M - 35 CM / 14 "	11452000175	799		
MS 211	11392000340	399		
MS 231	11432000383	469		
MS 231 C-BE	11432000389	499		
MS 241 C-BE M	11432000496	779		
MS 241 C-M	11432000491	689		
MS 241 C-M VW	11432000497	829		
MS 251	11432000378	539		
MS 251 C-BE	11432000477	599		
MS 261 C-M	11412000508	799		
MS 261 C-M VW	11412000556	959		
MS 271	11412000469	569		
MS 271 C-BE	11412000470	669		
MS 362 C-M	11402000407	899		
MS 362 C-M VW	11402000408	1 039		
MS 391	11402000203	689		
MS 441 C-M W	11382000355	1 099		
MS 461 R	11282000452	1 599		
MS 661 C-M nuppi	11440113001	1 359		
MS 661 C-M W nuppi	11440113002	1 469		
MS 880 nuppi	11240113016	1 749		
MS 150 TC-E	11462000003	599		
MS 193 TC-E	11372000269	499		
MS 201 TC-M	11452000176	899		
MSE 170 C-BQ	12092000106	289		
MSE 190 C-BQ	12092000105	339		
MSE 230 C-BQ	12092000107	389		
MSE 250 C-Q	12102000022	559		
MSA 120 C-BQ sis. akku ja laturi	12540115818	359		
MSA 160 C-BQ*	12502000049	369		
MSA 200 C-BQ*	12512000018	439		
MSA 160 T*	12522000000	439		
HT 101 (4-MIX)	41822000090	929		
HT 131 (4-MIX)	41822000092	1 139		
HTA 85* - 300 mm	48572000005	639		
FSE 31	48150114100	59		
FSE 52	48160114100	99		
FSE 81	48090114124	199		
FSA 56 sis. akku ja laturi	45220115718	269		
FSA 65*	48520115700	249		
FSA 85*	48520115701	279		
FSA 90*	48632000002	499		
* Ilman akkua ja laturia				

Malli	Tuotenumero	Suositus		
GE 103.1	60070111169	330		
GE 150.1	60080111105	460		
GE 250.1 S	60080111115	540		
GE 260.1 S	60080111125	590		
GE 355.1	60110111005	710		
GE 375.1	60110111015	770		
GE 450.1	60122000005	1 520		
GE 140L	60130111110	460		
GB 370.2 S	60012000005	1 250		
GB 460.1 C	60122000007	2 490		
MI 422.0	63010111400	1 490		
MI 422.0 P	63010111410	1 690		
MI 632.0	63090111400	2 290		
MI 632.0 P	63090111420	2 690		
MI 632.0 PC	63090111430	3 190		
MA 339.0	63200111400	450		
MB 2.2 R	63570113402	330		
MB 2.2 RC	63570113421	430		
MB 2.2 RT	63570113411	570		
MB 248.4	63500113406	330		
MB 248.3 T	63500113415	460		
MB 3.1 RC	63610113401	640		
MB 3.1 RT	63610113411	750		
MB 4.0 R	63830113400	670		
MB 4.0 RT	63830113410	790		
MB 4.0 RV	63830113430	880		
MB 4.0 RTP	63830113421	990		
MB 448.1 T sis. KIT	63582000002	580		
MB 448.1 TX sis. KIT	63582000003	490		
MB 448.1 VC	63582000004	750		
MB 545.1 VE	63402000005	890		
MB 545.0 VM	63400113430	760		
MB 650.1 VM	63600113422	940		
ME 235.0	63110112406	210		
MT 4097.0 SX	61652000005	3 550		
MT 5097.1	61602000016	4 550		
MT 6127.1 ZL	61702000016	6 290		
HB 445.2	62410113902	740		
HB 445.2 R	62410113912	790		
HB 585.1	62410113924	930		
LB 540.1	62900113101	740		